

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S107	1191	(modif\$7 chang\$3 adjust\$3) with (priority QOS) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:14
S108	94	(flow session) adj (identif\$7 ID) with match\$3 with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:41
S109	28	S107 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:12
S110	48	(modif\$7 chang\$3 adjust\$3) with (priority QOS) with packet with congest\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:14
S111	1	2003-358306.NRAN.	DERWENT	OR	ON	2005/12/02 08:15
S112	1	2003-358306.NRAN.	DERWENT	OR	ON	2005/12/02 08:16
S113	1	(flow session) adj (identif\$7 ID) with packet with (queue buffer) with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:42
S114	130	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) with packet with (queue buffer) with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 08:43
S115	21	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) with packet with (queue buffer) with compar\$3 with (discard\$3 drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:06
S116	6	("20030225903" "6463068" "6675220" "6744767" "6813243" "6829224").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 08:54
S117	131	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) same packet same (queue buffer) same compar\$3 same (discard\$3 drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:33
S118	677	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) same packet and (drop\$4 discard\$3) same probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:34
S119	214	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) same packet and (drop\$4 discard\$3) adj3 probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:35

S12 0	74	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) same packet and (drop\$4 discard\$3) adj3 probabilit\$3 and queue with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:53
S12 1	34	(drop\$4 discard\$3) same (new arriv\$3 incoming) adj packet same (stored enqueued) adj packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:53
S12 2	253	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) and (drop\$4 discard\$3) adj3 probabilit\$3 and random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 09:55
S12 3	68	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) and (drop\$4 discard\$3) adj3 probabilit\$3 and random and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:02
S13 1	649	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) with (stored enqueued) with packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:45
S13 2	42	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) with (stored enqueued) with compar\$3 with packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:53
S13 3	53	((class\$9 QOS priority) (flow session) adj (identif\$7 ID)) with (queue buffer) with compar\$3 with packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:56
S13 4	3087	(drop\$4 discard\$3) with packet? and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:56
S13 5	79	(drop\$4 discard\$3) with both with packet? and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:01
S13 6	1613	minimum adj3 threshold same (size length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 11:02
S13 7	12	S136 and (drop\$4 discard\$3) adj3 probabilit\$3 and random and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:20

S13 8	1	nguyen near2 phoungchau.xa. and steven near2 nguyen.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:19
S13 9	40	nguyen near2 phuongchau.xa. and steven near2 nguyen.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:19
S14 0	10	nguyen near2 phuongchau.xa. and steven near2 nguyen.xp. and discard\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:19
S14 1	1613	minimum adj3 threshold same (size length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:20
S14 2	14	S141 and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:21
S14 3	638	threshold and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:21
S14 4	130	threshold same (queue buffer) and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:21
S14 5	10	(compar\$3 match\$3) with (stored enqueued) adj4 packet and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:03
S14 6	10	(drop\$4 discard\$3) with (stored enqueued) adj4 packet and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:25
S14 7	91	(drop\$4 discard\$3) with (queue buffer) with packet and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:44
S14 8	24	(drop\$4 discard\$3) with packet? with (matched "same" identifcal) with (flow qos priority session) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 12:45
S14 9	11	("6473425").URPN.	USPAT	OR	ON	2005/12/02 12:54

S15 0	9	(compar\$3 match\$3) with new adj4 packet and (drop\$4 discard\$3) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:04
S15 1	15	(compar\$3 match\$3) with new adj4 packet same (drop\$4 discard\$3) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:07
S15 2	95	(compar\$3 match\$3) with (new recently incoming arriv\$3) adj4 packet same (drop\$4 discard\$3) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:26
S15 3	13	(compar\$3 match\$3 judg\$3) with random with selected with packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:49
S15 4	30669	FRED and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:50
S15 5	488	FRED and packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:50
S15 6	230	FRED and packet and (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:50
S15 7	88	FRED and packet with (queue buffer) and (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 13:51
S15 8	4	FRED and flow adj random and (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:19
S15 9	41	flow adj random and (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:20
S16 0	103	flow with random with (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:20

S16 1	18881405	flow with random with (discard\$3 drop\$4) with packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:20
S16 2	21	flow with random with (discard\$3 drop\$4) with packet and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S16 3	1119	(discard\$3 drop\$4) with packet with (queue buffer) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:04
S16 4	48	(discard\$3 drop\$4) with (old stored enqueued) adj2 packet with (queue buffer) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:13
S16 5	27	(discard\$3 drop\$4) with ("same" duplicat\$3 identical redundan\$3) adj2 packet with (queue buffer memory) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:19
S16 6	1	(discard\$3 drop\$4) with ("same" duplicat\$3 identical redundan\$3) near2 flow with packet with (queue buffer memory) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:20
S16 7	108	(discard\$3 drop\$4) with flow with packet with (queue buffer memory) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:44
S16 8	530	(drop\$4 discard\$3 remov\$3 delet\$3) with packet with (flow session) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:45
S16 9	301	(drop\$4 discard\$3 remov\$3 delet\$3) with packet? with (flow session) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:45
S17 0	94	(drop\$4 discard\$3 remov\$3 delet\$3) with packet? with (flow session) and @ad<"20000228" and (compar\$3 match\$3) with (flow session header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:03
S17 1	7041	@ad<"20000228" and (compar\$3 match\$3) with (stored enqueued received) with (new recently just)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:04

S17 2	71	@ad<"20000228" and (compar\$3 match\$3) with (stored enqueued received) with (new recently just) near2 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:06
S17 3	361	@ad<"20000228" and (stored enqueued received) same ((new recently just) near2 packet) same (drop\$4 discard\$3 remov\$3 delet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:09
S17 4	28	S173 and red	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:07
S17 5	98887	@ad<"20000228" and (stored enqueued received) with (drop\$4 discard\$3 remov\$3 delet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:09
S17 6	7193	@ad<"20000228" and (stored enqueued received) with (drop\$4 discard\$3 remov\$3 delet\$3) and RED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:10
S17 7	342	@ad<"20000228" and (stored enqueued received) with (queue buffer) with (drop\$4 discard\$3 remov\$3 delet\$3) and RED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:10
S17 8	38	@ad<"20000228" and ((stored enqueued received) adj2 packet) with (drop\$4 discard\$3 remov\$3 delet\$3) and RED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:18
S17 9	141	@ad<"20000228" and packet with (drop\$4 discard\$3 remov\$3 delet\$3) and average with (size length) with (buffer queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:25
S18 0	11	"6690645"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:23
S18 1	5	@ad<"20000228" and queue same management same (drop\$4 discard\$3) same probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:26
S18 2	21	@ad<"20000228" and (queue buffer) same manag\$5 same (drop\$4 discard\$3) same probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 17:26

S18 3	11	"6229821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 17:59
S18 4	168	(comapr\$3 match\$3) same (flow session (source with destinat\$3 with address)) and (discard\$3 drop\$4) with probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:00
S18 5	486	(compar\$3 match\$3) same (flow session (source with destinat\$3 with address)) and (discard\$3 drop\$4) with probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:01
S18 6	193	(compar\$3 match\$3) same (flow session (source with destinat\$3 with address)) and (discard\$3 drop\$4) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:01
S18 7	42	(compar\$3 match\$3) same (flow session (source with destinat\$3 with address)) same packet and (discard\$3 drop\$4) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:30
S18 8	165	(compar\$3 match\$3) same (flow session) same packet same (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:16
S18 9	45	packet same random same (discard\$3 drop\$4) with probabilit\$3 and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:23
S19 0	6	("5764641" "6282171" "6333917" "6345037" "6434116" "6463068").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/03 18:26
S19 1	1119	packet with (queue buffer) with (discard\$3 drop\$4) and @ad<"20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:31
S19 2	91	packet with (queue buffer) with (discard\$3 drop\$4) and @ad<"20000228" and (discard\$3 drop\$4) with probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:33
S19 3	15	packet with (queue buffer) with (discard\$3 drop\$4) with already and @ad<"20000228" and (discard\$3 drop\$4) with probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:37
S19 4	13	packet with (queue buffer) with (discard\$3 drop\$4) with already and @ad<"20000228" and (discard\$3 drop\$4) with probabilit\$3 and match\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:38

S19 5	24	packet with (queue buffer) with (discard\$3 drop\$4) with (stored enqueued)and @ad<"20000228" and (discard\$3 drop\$4) with probabilit\$3 and match\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:43
S19 6	24	packet with (queue buffer) with (discard\$3 drop\$4) with (stored enqueued) and @ad<"20000228" and (discard\$3 drop\$4) with probabilit\$3 and match\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:50
S19 7	29	packet with (queue buffer) with (discard\$3 drop\$4) with (stored enqueued) and @ad<"20000228" and (discard\$3 drop\$4) with probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 18:50
S19 8	5	S197 not S196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/03 19:08
S19 9	6	(("6515963") or ("6515963") or ("6556578") or ("6690645")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/04 14:33